



♥ [ADD TO WISH LIST](#)

Share with your friends



Genuine products

Dedicated
Support

Doorstep Delivery

ABB

eMart

Automation & Control

A45-22-00 110V 50Hz / 110-120V 60Hz Contactor

₹5309.50 + ₹955.71 (GST 18%)

- 1 +

[Buy Now](#)

[Add to Cart](#)

Pin Code

[Calculate Shipping](#)

Please enter your PIN Code to check the best offers

Product Id#: 1SBL331501R8400

[Be the first to review this product](#)

Sold and delivered by **EBASCO MARKETING**

A45 4-pole contactors are mainly used for controlling non-inductive or slightly inductive loads (i.e. resistance furnaces...) and generally for controlling power circuits up to 690 V AC and 440 V DC. The contactors can also be used for many other applications such lighting... The A... series 4-pole contactors are of the block type design. - Main poles and auxiliary contact blocks: 2 N.O. + 2 N.C. main poles, front and side-mounted add-on auxiliary contact blocks - Control circuit: AC operated with laminated magnet circuit - Accessories: a wide range of accessories is available.

[Enquire Now](#)

More about A45-22-00 110V 50Hz / 110-120V 60Hz Contactor

Technical Specification

MRP (Indian Rupees)

Not for Retail Sale

Number of Main Contacts NO

2



Number of Main Contacts NC	2
Compatibility	A Contactors
Max Mechanical Switching Frequency	3600 cycles per hour
Max Electrical Switching Frequency	AC-1 600 cycles per hour, AC-2 / AC-4 150 cycles per hour, AC-3 600 cycles per hour
Conventional Free-air Thermal Current (Ith)	acc. to IEC 60947-4-1, Open Contactors q = 40 °C 100 ampere
Coil Consumption	Holding at Max. Rated Control Circuit Voltage 50 Hz 18 5.5 volt - ampere, Holding at Max. Rated Control Circuit Voltage 60 Hz 18 5.5 volt - ampere, Pull-in at Max. Rated Control Circuit Voltage 50 Hz 180 volt - ampere, Pull-in at Max. Rated Control Circuit Voltage 60 Hz 180 volt - ampere
Terminal Type	Screw Terminals
Rated Operational Voltage	Main Circuit 1000 volt
Operate Time	Between Coil De-energization and NC Contact Closing 7 ... 14 millisecond, Between Coil De-energization and NO Contact Opening 4 ... 11 millisecond, Between Coil Energization and NC Contact Opening 7 ... 22 millisecond, Between Coil Energization and NO Contact Closing 7 ... 14 millisecond
Rated Control Circuit Voltage (Uc)	50 Hz 110V; 60 Hz 110-120V
Rated Breaking Capacity AC-3 acc. to IEC 60947-4-1	8 x Ie AC-3
Rated Operational Current AC-1 (Ie)	(690 V) 40 °C 70 ampere, (690 V) 55 °C 60 ampere, (690 V) 70 °C 50 ampere
Rated Making Capacity AC-3 acc. to IEC 60947-4-1	10 x Ie AC-3
Rated Frequency Limits	25 ... 400 hertz
Package Width	142 millimetre
Package Length	190 millimetre
Package Height	136 millimetre
Invoice Description	A45-22-00 110V 50Hz / 110-120V 60Hz Contactor
Product Range	A Contactors
Package Gross Weight	1.4 kilogram
Extended Product Type	A45-22-00 110V 50Hz / 110-120V 60Hz
Ambient Air Temperature	Close to Contactor for Storage -60 ... +80 degree Celsius, Near Contactor for Operation in Free Air (Uc) -40 ... +70 degree Celsius, Near Contactor for Operation in Free Air (0.85 ... 1.1 Uc) -40 ... +55 degree Celsius
Rated Insulation Voltage (Ui)	acc. to UL/CSA 600 volt, acc. to IEC 60947-4-1 and VDE 0110 (Gr. C) 1000 volt
Product Class	Block Contactors
Total GST Percentage	18.00
HSN Number	85364900
Country of origin	France (FR) - Imported by ABB India Limited

Enquire Now



Download

Offers

Reviews



Recently Viewed

 <p><u>A45-22-00 220-230V 50Hz / 230-240V 60Hz Contactor</u> 1SBL331501R8000 ₹5,907.00</p>	 <p><u>A45-22-00 24V 50Hz / 24V 60Hz Contactor</u> 1SBL331501R8100 Out of Stock</p>	 <p><u>A45-22-00 400-415V 50Hz / 415-440V 60Hz Contactor</u> 1SBL331501R8600 Out of Stock</p>	 <p><u>A50-40-00 110V 50Hz / 110-126V 60Hz Contactor</u> 1SBL351201R8400 Out of Stock</p>
---	---	--	---

<div><input type="checkbox"/> Write to Us</div> <p>1800 420 0707</p> <p>@ contactabb.in@abb.com (Only for India Inquiries)</p> <p>Disha - Plot No.5 & 6, 2nd Stage, Peenya Industrial Area IV, Peenya 560058, Bangalore, Karnataka, India.</p> <div><div> Facebook</div><div> Twitter</div><div> LinkedIn</div><div> Youtube</div></div>	<div>COMPANY</div> <div>AboutUs</div> <div>Sell Our Us</div> <div>With Sellers</div> <div>BlogsWith Sellers</div> <div>Exchange and Returns Policy</div> <div>Privacy Policy</div> <div>Terms of Use</div> <div>How to create a Company Account</div> <div>FAQ</div>	<div>PAYMENT METHODS</div>
---	--	----------------------------

Enquire Now

