

PRODUCT-DETAILS

# DS2C-CM

## DS2C-CM Motor operating device



### General Information

Extended Product Type	DS2C-CM
Product ID	2CSR201997R0013
EAN	8012542135951
Catalog Description	DS2C-CM Motor operating device
Long Description	The DS2C-CM motor operating device has the function to allow the remote control (opening or closing) of the RCBO it is associated to.

### Technical

Suitable For	DS201 DS202C
Suitable for Product Class	Residual Current Devices with Overcurrent Protection RCBOs
Rated Voltage (U <sub>r</sub> )	230 V
Power Loss	1.5 W
Number of Contacts CO	0
Number of Contacts NC	0
Number of Contacts NO	0

### Material Compliance

RoHS Information	9AKK106713A5575
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019

RoHS Date	20200527
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Dimensions

Product Net Width	0.055 m
Product Net Height	0.121 m
Product Net Depth / Length	0.085 m
Product Net Weight	0.163 kg

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.360 kg

Certificates and Declarations

Declaration of Conformity - CE	9AKK106713A5575
--------------------------------	-----------------

Installation

Instructions and Manuals	9AKK107680A3324
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	2CSC422004B0203
-----------------------------------	-----------------

Classifications

ETIM 8	EC001286 - Auxiliary device for distribution board devices
ETIM 9	EC001286 - Auxiliary device for distribution board devices
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Consumer
CN8	85365080
eClass	V11.0 : 27143502
Object Classification Code	Q

---

Categories

---

Low Voltage Products and Systems → Modular DIN Rail Products → Residual Current Devices RCDs → Residual Current Devices RCDs Accessories

