

accessory 3VJ9 IEC framesize 3VJ14 630A bus connector offset front, 3 pieces

Model	
accessories	Front Bus Connectors Offset 4PCS
Mechanical Design	
connectable conductor cross-section / for copper cable / finely stranded / with core end processing	
• maximum	400 mm ²
Connections according IEC	
connectable conductor cross-section / for copper cable / finely stranded / with core end processing	
• minimum	400
• maximum	
type of connectable conductor cross-sections / of the laminated conductor rails	
• minimum	1 x 44 x 8
• maximum	1 x 44 x 10
thickness / of the busbar	
• minimum	10
• maximum	
width / of the busbar / maximum	44 mm
Certificates	
other	

[Confirmation](#)

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VJ9413-0ED00
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/3VJ9413-0ED00
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VJ9413-0ED00
CAX-Online-Generator http://www.siemens.com/cax
Tender specifications http://www.siemens.com/specifications

last modified:

4/12/2023 

