Specifications

SQUARE D



NEMA motor starter, Type S, nonreversing, Size 0, 18A, 5HP at 460VAC, 5kA SCCR, 3 phase, 3 pole, melting alloy, 240VAC coil, open

8536SBO2V03

Product availability: Stock - Normally stocked in distribution facility

Price*: 485.00 USD

Main

| Product Type | Motor starter | |
|---------------|---------------|--|
| Product Range | S | |
| Starter Type | Non reversing | |

Complementary

| NEMA Size | 0 | |
|------------------------|--|--|
| Rated Current | 18 A | |
| Number of Poles | 3P | |
| Maximum Voltage Rating | 600 V AC | |
| Phase | 3 phase | |
| Type of Overload | Melting alloy 3 | |
| Horsepower Rating | 3 HP 200 V AC 3 HP 230 V AC 5 HP 460 V AC 5 HP 575 V AC | |
| SCCR | Circuit-breaker: 5 kA at 600 V AC Fuse: 5 kA at 600 V AC | |
| Coil Voltage | 220 V AC 50 Hz 240 V AC 60 Hz | |
| Control Circuit Type | Common control circuit | |
| Control Units | No control units | |
| Pilot Light | Without pilot light | |
| Auxiliary Contacts | Without | |
| Terminal Type | Screw clamp terminals | |
| Height | 6.81 in (172.96 mm) | |
| Width | 3.50 in (88.90 mm) | |
| Depth | 4.22 in (107.19 mm) | |
| | | |

Environment

Enclosure Type

Not rated (open device)

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Ordering and shipping details

| Category | US10CP121191 |
|-------------------|--------------|
| Discount Schedule | 0CP1 |
| GTIN | 785901871828 |
| Returnability | Yes |
| Country of origin | MX |

Packing Units

| Unit Type of Package 1 | PCE | |
|------------------------------|-------------------------|--|
| Number of Units in Package 1 | 1 | |
| Package 1 Height | 4.50 in (11.43 cm) | |
| Package 1 Width | 5.90 in (14.986 cm) | |
| Package 1 Length | 8.00 in (20.32 cm) | |
| Package 1 Weight | 4.061 lb(US) (1.842 kg) | |

Contractual warranty

Warranty

18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability \geq

Use Better


| Materials and Substances | |
|--|---|
| Packaging made with recycled cardboard | Yes |
| Packaging without single use plastic | Yes |
| EU RoHS Directive | Not compliant |
| China RoHS Regulation | China RoHS declaration |
| California proposition 65 | "WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov" |
| PVC free | Yes |
| Jse Again | |

C Repack and remanufacture Take-back No

Dimensions Drawings

Approximate Dimensions

Electrical clearance/wire bending space



4