



## [TAA] Mini circuit breaker, E-Frame, 125A, 2 pole, 480Y/ 277VAC, 100kA max, bolt on

EJB24125

Product availability: Non-Stock - Not normally stocked in distribution facility

Price\*: 3,879.00 USD

#### Main

Range	125 A Frame EDB-EGB-EJB	
Product Type	Miniature circuit-breaker	
Device Short Name	EJB	
Module Type	E-Frame	
Trip Unit Rating	2300 A	

### Complementary

Rated Current	125 A	
Maximum Operating Voltage	480Y/277 V AC	
AWG Gauge	AWG 12AWG 2/0 aluminium AWG 14AWG 2/0 copper	
Breaking Capacity	65 kA 277 V AC 100 kA 240 V AC 65 kA 480Y/277 V AC 100 kA 120 V AC 100 kA 120/240 V AC	
Circuit Breaker Application	HACR rated	
Electrical Connection	Lugs aluminium	
Holding Current	1000 A	
Local Signalling	Trip indicator	
Mounting Mode	Bolt-on	
Number of Poles	2	
Number of Spaces	2	
Number of Spaces Required	2	
Product Destination	NF panelboard	
Protect Type	Short-circuit Overload	
Trip Unit Technology	Thermal-magnetic	
Breaking Capacity Code	J	
Tightening Torque	34.5 lbf.in (3.9 N.m) 0.0040.009 in² (2.56 mm²) (AWG 14AWG 10) 49.6 lbf.in (5.6 N.m) 0.020.1 in² (1070 mm²) (AWG 8AWG 2/0)	
Height	5.66 in (143.76 mm)	
Width	1.96 in (49.78 mm)	

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Depth	4.05 in (102.87 mm)
Product Weight	3 lb(US) (1.4 ka)

### **Environment**

Product Certifications	cULus
Ambient Air Temperature for	104 °F (40 °C)

# Ordering and shipping details

Category	US10DE200937
Discount Schedule	0DE2
GTIN	785901453345
Returnability	Yes
Country of origin	US

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.70 in (9.398 cm)
Package 1 Width	6.00 in (15.24 cm)
Package 1 Length	9.80 in (24.892 cm)
Package 1 Weight	2.47 lb(US) (1.12 kg)

### **Contractual warranty**

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

#### Environmental Data explained >

How we assess product sustainability

0	Environmental	£1:1
4	Environmentai	TOOLDFINE

Environmental Disclosure

Product Environmental Profile

#### **Use Better**

<b>⊗</b> Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	8781af64-acd9-485c-9a86-abcdfbd458e3
China RoHS Regulation	China RoHS declaration

#### **Use Again**

○ Repack and remanufacture		
Take-back	No	