Product datasheet

Specifications





TeSys GV2 - Combination blocks - with contactor LC1D09...D38

GV2AF3

Main

Range	Linergy
Product Name	FT
Device Short Name	GV2AF
Product Or Component Type	Combination block
Accessory / Separate Part Category	Connection accessory
Range Compatibility	TeSys GV2
	TeSys Deca

Complementary

Product Compatibility	LC1D09D38
Poles Description	3P
[le] Rated Operational Current	32 A
Quantity Per Set	Set of 10
Net Weight	0.016 kg

Packing Units

· acting child	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	9.500 cm
Package 1 Width	10.000 cm
Package 1 Length	15.000 cm
Package 1 Weight	22.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.500 cm
Package 2 Width	10.000 cm
Package 2 Length	15.000 cm
Package 2 Weight	268.000 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	140
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm

 Package 3 Length
 40.000 cm

 Package 3 Weight
 4.196 kg

Contractual warranty

Warranty

18 months

Sustainability Screen

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards


Reach Regulation	REACh Declaration	
Eu Rohs Directive	Compliant EU RoHS Declaration	
China Rohs Regulation	China RoHS declaration	
Environmental Disclosure	Product Environmental Profile	
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins	
Circularity Profile	End of Life Information	

Product datasheet

Dimensions Drawings


GV2AF01

Combination GV2ME + TeSys k contactor




GV2AF3

Combination GV2ME + TeSys d contactor



GV2ME +	LC1D09D18	LC1D25 and D32
b	176.4	186.8
c1	94.1	100.4
с	99.6	105.9

Combination GV2P + TeSys d contactor



GV2P +	LC1D09D18	LC1D25 and D32
b	176.4	186.8
c1	100.1	106.4

Product datasheet

GV2AF3

GV2P +	LC1D09D18	LC1D25 and D32
с	105.6	111.9
d1	95	95
d	100.5	100.5