

Product datasheet

Specifications



Direct rotary handle, TeSys GV7, black, padlockable, IP40

GV7AP03

! Discontinued on: 01-Feb-2021

! Discontinued

Main

Range	TeSys
Product Or Component Type	Rotary handle
Device Short Name	GV7AP
Range Compatibility	TeSys TeSys GV7 motor circuit breaker
Accessory / Separate Part Category	Control accessory
Rotary Handle Mounting Location	Front
Rotary Handle Mounting Style	Direct

Complementary

Handle Colour	Black
Handle Front Plate Colour	Black
Rotary Handle Padlocking	1 to 3 padlocks 5...8 mm Padlock in OFF position
Net Weight	0.205 kg

Environment

Ip Degree Of Protection	IP40
-------------------------	------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	9 cm
Package 1 Width	9.6 cm
Package 1 Length	11 cm
Package 1 Weight	255 g

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



RoHS/REACH

Well-being performance

Mercury Free

Rohs Exemption Information [Yes](#)

Certifications & Standards


Eu Rohs Directive Compliant
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
Product out of China RoHS scope. Substance declaration for your information


Weee The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Dimensions Drawings


Direct Rotary Handle GV7AP03, GV7AP04




Flush-mounting




Direct Rotary Handle GV7AP03 or GV7AP04 with Conversion Accessory GV7AP05



Front face cut-out



Enclosure viewed from top



Door cut-outs require a minimum distance between the centre of the circuit breaker and the door hinge point $\Delta \geq 100 + (h \times 5)$