

Eaton HJD3250L

Eaton Series C molded case circuit breaker, J-Frame, HJD, Fixed thermal, fixed magnetic, 250 A, Three-pole, 600 Vac, 250 Vdc, 65 kAIC at 480 Vac, Line and load, 50 to 60 Hz, Series C

General specifications

PRODUCT NAME	Eaton Series C molded case circuit breaker
CATALOG NUMBER	HJD3250L
UPC	786689689384
PRODUCT LENGTH/DEPTH	10 in
PRODUCT HEIGHT	4.13 in
PRODUCT WIDTH	4.06 in
PRODUCT WEIGHT	12.5 lb
CERTIFICATIONS	UL Listed

Product specifications	
AMPERAGE RATING	250 A
VOLTAGE RATING	600 Vac, 250 Vdc
TRIP TYPE	T186
CIRCUIT BREAKER TYPE	HJD
CIRCUIT BREAKER FRAME TYPE	Complete breaker
FRAME SIZE	J-Frame
SERIES	Series C
TERMINALS	Line and load
FREQUENCY RATING	50 to 60 Hz
INTERRUPT RATING	65 kAIC at 480 Vac
NUMBER OF POLES	Three-pole

Resources	
	Application of Tap Rules to Molded Case Breaker Terminals
APPLICATION NOTES	UL listed 100%-rated molded case circuit breakers
	Application of Multi-Wire Terminals for Molded Case Circuit Breakers
BROCHURES	Multi-wire lugs product aid
	Motor protection circuit breakers product aid
	Current limiting Series C molded case circuit breakers product aid
	Plug-in adapters for molded case circuit breakers product aid
	StrandAble terminals product aid
	Circuit breaker motor operators product aid
	Power metering and monitoring with Modbus RTU product aid
	Breaker service centers
CATALOGS	Circuit Protection, Molded Case Circuit Breakers, Volume 4, Tab 2
MULTIMEDIA	Circuit Breakers Explained
	Circuit breakers explained
	MOEM MCCB product selection guide
SPECIFICATIONS AND DATASHEETS	Series C J-Frame molded case circuit breakers time current curves
	Series C F-Frame molded case circuit breakers
	Series C G-Frame molded case circuit breakers time current curves

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

Follow us on social media to get the latest product and support information.

