

Specifications



Photo is representative



Eaton HKD3150

Eaton Series C complete molded case circuit breaker, K-frame, HKD, Fixed thermal, Fixed magnetic trip, Three-pole, 150 A, 600 Vac, 250 Vdc, 100 kAIC at 240 Vac, 65 kAIC at 480 Vac, Aluminum, Line and load, 50/60 Hz

General specifications

PRODUCT NAME	Eaton Series C complete molded case circuit breaker
CATALOG NUMBER	HKD3150
UPC	786679319321
PRODUCT LENGTH/DEPTH	4.1 in
PRODUCT HEIGHT	5.5 in
PRODUCT WIDTH	5.5 in
PRODUCT WEIGHT	11.5 lb
WARRANTY	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.
CERTIFICATIONS	UL Listed



Powering Business Worldwide

Product specifications	
AMPERAGE RATING	150 A
VOLTAGE RATING	600 Vac, 250 Vdc
TRIP TYPE	T186
CIRCUIT BREAKER TYPE	HKD
CIRCUIT BREAKER FRAME TYPE	Complete breaker
SERIES	Series C
TERMINALS	Line and load
FRAME	K
FREQUENCY RATING	50/60 Hz
TERMINAL MATERIAL	Aluminum
INTERRUPT RATING	65 kAIC at 480 Vac 100 kAIC at 240 Vac
NUMBER OF POLES	Three-pole

Resources

APPLICATION NOTES

BROCHURES

- [Power metering and monitoring with Modbus RTU product aid](#)
- [Circuit breaker motor operators product aid](#)
- [Plug-in adapters for molded case circuit breakers product aid](#)
- [310+ MCCB product family pocket folder](#)
- [Breaker service centers](#)

CATALOGS [Circuit Protection, Molded Case Circuit Breakers, Volume 4, Tab 2](#)

MULTIMEDIA [Circuit Breakers Explained](#)

SPECIFICATIONS AND DATASHEETS

[selection guide](#)

[Series C J-Frame molded case circuit breakers time current curves](#)

[Series C G-Frame molded case circuit breakers time current curves](#)

PROJECT NAME:

PROJECT NUMBER:

PREPARED BY:

DATE:



Eaton Corporation plc

Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2025 Eaton. All Rights
Reserved.

Eaton is a registered trademark.

All other trademarks are property of
their respective owners.

Follow us on social media to get the latest
product and support information.

