

# Specifications



Photo is representative



## Eaton HMCP400W5

Eaton molded case circuit breaker accessory motor protection, Motor circuit protector, 400 A, Three-pole, Frame K, 1250-2500 A, 600 V, 250 Vdc, Series C, Line and load

### General specifications

|                      |  |
|----------------------|--|
| PRODUCT NAME         | Eaton molded case circuit breaker accessory motor protection   |
| CATALOG NUMBER       | HMCP400W5  |
| UPC                  | 786679151167   |
| PRODUCT LENGTH/DEPTH | 4.1 in   |
| PRODUCT HEIGHT       | 10.13 in   |
| PRODUCT WIDTH        | 5.5 in   |
| PRODUCT WEIGHT       | 11.5 lb  |
| WARRANTY             | Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first. |
| CERTIFICATIONS       | CSA Certified<br>UL Listed   |



Powering Business Worldwide

| Product specifications |                         |
|------------------------|-------------------------|
| TYPE                   | Motor circuit protector |
| AMPERAGE RATING        | 400 A                   |
| FRAME SIZE             | Frame K                 |
| MAGNETIC TRIP RANGE    | 1250-2500 A             |
| VOLTAGE - MAX          | 600 V, 250 Vdc          |
| SERIES                 | Series C                |
| TERMINALS              | Line and load           |
| NUMBER OF POLES        | Three-pole              |

| Resources                     |  |
|-------------------------------|--|
|                               | <a href="#">Application of Tap Rules to Molded Case Breaker Terminals</a>            |
| APPLICATION NOTES             | <a href="#">UL listed 100%-rated molded case circuit breakers</a>                    |
|                               | <a href="#">Application of Multi-Wire Terminals for Molded Case Circuit Breakers</a> |
| BROCHURES                     | <a href="#">Multi-wire lugs product aid</a>  |
|                               | <a href="#">Motor protection circuit breakers product aid</a>                        |
|                               | <a href="#">Current limiting Series C molded case circuit breakers product aid</a>   |
|                               | <a href="#">StrandAble terminals product aid</a>                                     |
|                               | <a href="#">Plug-in adapters for molded case circuit breakers product aid</a>        |
|                               | <a href="#">Power metering and monitoring with Modbus RTU product aid</a>            |
|                               | <a href="#">Circuit breaker motor operators product aid</a>                          |
|                               | <a href="#">Breaker service centers</a>  |
| CATALOGS                      | <a href="#">Circuit Protection, Molded Case Circuit Breakers, Volume 4, Tab 2</a>    |
| MULTIMEDIA                    | <a href="#">Flex shaft handle installation tutorial</a>                              |
|                               | <a href="#">Series C J-Frame molded case circuit breakers time current curves</a>    |
|                               | <a href="#">Series C F-Frame molded case circuit breakers</a>                        |
| SPECIFICATIONS AND DATASHEETS | <a href="#">Series C G-Frame molded case circuit breakers time current curves</a>    |
|                               | <a href="#">Eaton Specification Sheet - HMCP400W5</a>                                |
|                               | <a href="#">MOEM MCCB product selection guide</a>                                    |

---

**PROJECT NAME:**

**PROJECT NUMBER:**

**PREPARED BY:**

**DATE:**

---



**Eaton Corporation plc**

Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com

© 2025 Eaton. All Rights  
Reserved.

Eaton is a registered trademark.

All other trademarks are property of  
their respective owners.

Follow us on social media to get the latest  
product and support information.

