

### Main

wain	
Range	TeSys
Product name	TeSys LC1D.K TeSys Deca
Product or component type	Capacitor duty contactor
Device short name	LC1DGK
Contactor application	Power factor correction
Poles description	3P
Power pole contact composition	3 NO
[Ue] rated operational voltage	Power circuit: <= 690 V AC 50/60 Hz
Reactive power rating	16.7 kvar at 400440 V AC 50/60 Hz 55 °C 24 kvar at 660690 V AC 50/60 Hz 55 °C 8.5 kvar at 220240 V AC 50/60 Hz 55 °C
Control circuit type	AC at 50/60 Hz
[Uc] control circuit voltage	220 V AC 50/60 Hz
Auxiliary contact composition	1 NO + 1 NC
Mounting support	Plate Rail
Standards	VDE 0560 NF C 54-100 IEC 60070 IEC 60831
Product certifications	UL CSA
Connections - terminals	Power circuit: connector 1 2.5 mm² - cable stiffness: flexible with cable end Power circuit: connector 1 4 mm² - cable stiffness: solid with cable end Power circuit: connector 2 1.5 mm² - cable stiffness: flexible with cable end Power circuit: connector 2 4 mm² - cable stiffness: solid with cable end
Tightening torque	Power circuit: 1.7 N.m - on connector

### Complementary

Auxiliary contacts type type mechanically linked 1 NO + 1 NC conforming to IEC 60947-5-1 type mirror contact 1 NC conforming to IEC 60947-4-1

#### **Environment**

IP degree of protection IP2X conforming to IEC 60529
IP2X conforming to VDE 0106

Protective treatment	TH conforming to IEC 60068-2-30
Ambient air temperature for operation	-560 °C
Ambient air temperature for storage	-6080 °C
Operating altitude	03000 m
Height	130 mm
Width	45 mm
Depth	122 mm
Net weight	0.45 kg

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1

# Offer Sustainability

Sustainable offer status	Green Premium product
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

## **Contractual warranty**

Warranty 18 months

# Recommended replacement(s)

LC1DGK11M7 is replaced by:



1x

Capacitor contactor, TeSys D, 16.7 kVAR at 400 V/50 Hz, coil 220 V AC 50/60 Hz  $\tt LC1DGKM7$