Product datasheet

Specifications

direct rotary handle, ComPacT NSX 100/160/250, black handle, IP40

LV429337T

EAN Code: 3606482003866

Main

Range of product	ComPacT NSX100...250 new generation Galaxy VS
Product or component type	Rotary handle
Range compatibility	ComPacT new generation NSX100...250 PowerPact Multistandard Galaxy VS
Accessory / separate part type	Control accessories
Handle colour	Black
Handle front plate colour	Black
Rotary handle mounting style	Direct

Complementary

Rotary handle padlocking	Padlock in OFF position 1 to 3 padlocks
Rotary handle mounting location	Front

Environment

IP degree of protection	IP40

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.400 cm
Package 1 Width	9.500 cm
Package 1 Length	11.300 cm
Package 1 Weight	256.000 g
Unit Type of Package 2	S04
Number of Units in Package 2	30
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	8.430 kg

Contractual warranty

Life Is On | Schneider Electric

Warranty	18 months

Life Is On | Schneider Electric

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ›

Guide to assess a product's sustainability ›

Transparency   RoHS/REACh

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information   Yes

✓ Halogen Free Plastic Parts Product

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Compliant with Exemptions

China Rohs Regulation   China RoHS declaration

Product out of China RoHS scope. Substance declaration for your information

---

Environmental Disclosure   Product Environmental Profile

Circularity Profile   End of Life Information