

# Product datasheet

Specifications



## long terminal shield, ComPact NSX100/160/250, pitch 35 mm, IP40, 4 poles

Local distributor code:

391353149

LV429518

**EAN Code: 3606480019920**

### Main

|                                |   |
|--------------------------------|---|
| Product Or Component Type      | Long terminal shield  |
| Range Compatibility            | ComPacT new generation ComPacT NSX100 new generation<br>ComPacT new generation ComPacT NSX160 new generation<br>ComPacT new generation ComPacT NSX250 new generation<br>ComPact ComPact NSX100<br>ComPact ComPact NSX160<br>ComPact ComPact NSX250<br>ComPacT new generation ComPacT NSX DC new generation NSX100 DC<br>ComPacT new generation ComPacT NSX DC new generation NSX160 DC<br>ComPacT new generation ComPacT NSX DC new generation NSX250 DC<br>ComPact Compact NSX100 DC<br>ComPact Compact NSX160 DC<br>ComPact Compact NSX250 DC<br>EasyPact EasyPact CVS100<br>EasyPact EasyPact CVS160<br>EasyPact EasyPact CVS250<br>ComPact INS250<br>ComPact Compact INV100...250 |
| Accessory / Separate Part Type | Insulation accessories  |
| Poles Description              | 4P  |
| Quantity Per Set               | 1   |

### Complementary

|                         |                                 |
|-------------------------|---------------------------------|
| Connection Pitch        | 35 mm                           |
| Ip Degree Of Protection | IP40 conforming to IEC 60529    |
| Product Compatibility   | Circuit-breaker<br>Plug-in base |

### Packing Units

|                              |         |
|------------------------------|---------|
| Unit Type Of Package 1       | PCE     |
| Number Of Units In Package 1 | 1       |
| Package 1 Height             | 8 cm    |
| Package 1 Width              | 9.3 cm  |
| Package 1 Length             | 16.3 cm |
| Package 1 Weight             | 196 g   |
| Unit Type Of Package 2       | S04     |
| Number Of Units In Package 2 | 40      |
| Package 2 Height             | 30 cm   |
| Package 2 Width              | 40 cm   |
| Package 2 Length             | 60 cm   |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                              |           |
|------------------------------|-----------|
| Package 2 Weight             | 8.606 kg  |
| Unit Type Of Package 3       | P12       |
| Number Of Units In Package 3 | 160       |
| Package 3 Height             | 50 cm     |
| Package 3 Width              | 80 cm     |
| Package 3 Length             | 120 cm    |
| Package 3 Weight             | 46.424 kg |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

# Sustainability

**Green Premium™** label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

[Learn more >](#)

## Well-being performance

|   |                            |     |
|---|----------------------------|-----|
| ✓ | Reach Free Of Svhc         |     |
| ✓ | Toxic Heavy Metal Free     |     |
| ✓ | Mercury Free               |     |
| ✓ | Rohs Exemption Information | Yes |

|                       |   |
|-----------------------|---|
| Reach Regulation      | <a href="#">REACH Declaration</a>   |
| Eu Rohs Directive     | Pro-active compliance (Product out of EU RoHS legal scope)<br><a href="#">EU RoHS Declaration</a>           |
| China Rohs Regulation | <a href="#">China RoHS declaration</a><br>Pro-active China RoHS declaration (out of China RoHS legal scope) |