

Product datasheet

Specifications



Push-button Pro T, Merten System Design, lotus white, glossy, Temperature sensor, Touchless mode

MTN6185-6035

Main

Aesthetic name	System Design
Product or component type	Push-button
Bus type	KNX

Complementary

Control type	Touch type Touchless
Sensor type	Temperature
Device mounting	Flush
Number of FUNCTION keys	4
Function available	Pulse edges trigger 1-, 2-, 4- or 8-bit telegrams Express setting: Calls up a pre-set configuration Push-button with 1 to 4 operating buttons Night mode: LEDs light up with reduced brightness Programmable with ETS4 and higher Pulse edges with 2-byte telegrams With status displays Blind (single/dual-surface) Backlit symbols Disable functions Scene retrieval Behaviour and brightness of the status displays 8-bit linear regulator Switching, toggling, dimming (single/dual-surface) Dismantling protection with accesories Advanced setting: Individual configuration Scene saving Proximity function
Local signalling	1 LED per channel (white/green)
Marking	With symbols
Material	Plastic
Surface treatment	Varnished
Width	71 mm
Height	71 mm
Environment	
IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.800 cm
Package 1 Width	7.700 cm
Package 1 Length	7.700 cm
Package 1 Weight	124.000 g
Unit Type of Package 2	CAR
Number of Units in Package 2	50
Package 2 Height	19.700 cm
Package 2 Width	30.400 cm
Package 2 Length	40.900 cm
Package 2 Weight	6.250 kg

Offer Sustainability

Sustainable offer status	Green Premium product
REACH Regulation	REACH Declaration
EU RoHS Directive	Compliant EU RoHS Declaration
Mercury free	Yes
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Recommended replacement(s)