

NGG2B020 | US2:NGG2B020



SIEMENS LOW VOLTAGE G FRAME CIRCUIT BREAKER WITH THERMAL - MAGNETIC TRIP UNIT. UL LISTED NGG FRAME WITH STANDARD BREAKING CAPACITY, 20A 2-POLE (14KAIC AT 600Y/347V) (25KAIC AT 480V). SPECIAL FEATURES: NO LUGS. DIMENSIONS (W x H x D) IN: 2 x 5.4 x 2.8.

Notes	
-	
List Price	Show prices
Customer Price	Show prices
Additional Services	For this product we can offer Services like Spare Part Delivery/Repair/Exchange. You have currently no rights to enter the Service Web Shop for that. For further information & to order this service, please contact your local Spares&Repair Partner
DataSheet in PDF	Download
Service & Support (Manuals, Certificates, FAQs...)	Download

Product

Article Number (Market Facing Number)	NGG2B020 US2:NGG2B020
Product Description	SIEMENS LOW VOLTAGE G FRAME CIRCUIT BREAKER WITH THERMAL - MAGNETIC TRIP UNIT. UL LISTED NGG FRAME WITH STANDARD BREAKING CAPACITY, 20A 2-POLE (14KAIC AT 600Y/347V) (25KAIC AT 480V). SPECIAL FEATURES: NO LUGS. DIMENSIONS (W x H x D) IN: 2 x 5.4 x 2.8.
Product family	Not available
Product Lifecycle (PLM)	PM410:Product cancellation
PLM Effective Date	Product is cancelled since: 12/12/2024
Notes	-

Price data

Price Group	NDB
List Price	Show prices
Customer Price	Show prices
Metal Factor	None

Delivery information

Export Control Regulations	ECCN : EAR99 / AL : N
Estimated dispatch time (Working Days)	19 Day/Days
Net Weight (lb)	1.942 lb
Package size unit of measure	Not available
Quantity Unit	1 Piece
Packaging Quantity	1

Additional Product Information

EAN	Not available
UPC	783643363182
Commodity Code	8536200020
LKZ_FDB/ CatalogID	LV10.1
Product Group	5362
Group Code	P360
Country of origin	Mexico
Compliance with the substance restrictions according to RoHS directive	Since: 07/01/2006
Returnable	No
WEEE (2012/19/EU) Take-Back Obligation	Yes
REACH Art. 33 Duty to inform according to the current list of candidates	
SCIP number	Not available

Classifications

	Not available
--	---------------

;