

Product datasheet

Specifications



Cord Outlet Connection Unit, Livia, painted grey

P4550_PG

Main

Range	Livia
Product or component type	Blank plate
Number of modules	1 module
Colour tint	Grey
Colour tint	Grey

Complementary

Device mounting	Flush
Material	PC (polycarbonate)
Surface finish	Matt
Surface treatment	Antibacterial
Width	22.7 mm
Height	54.4 mm
Depth	22 mm
IK degree of protection	IK02
IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.5 cm
Package 1 Width	5.5 cm
Package 1 Length	14.2 cm
Package 1 Weight	16 g
Unit Type of Package 2	BB1
Number of Units in Package 2	20
Package 2 Height	6 cm
Package 2 Width	10.5 cm
Package 2 Length	21.5 cm
Package 2 Weight	375 g
Unit Type of Package 3	CAR

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Number of Units in Package 3	200
Package 3 Height	32.5 cm
Package 3 Width	22.5 cm
Package 3 Length	24 cm
Package 3 Weight	4.2 kg

Sustainability

Green Premium™ label is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)



Sustainable Packaging

Resource performance

✔ Sustainable Packaging

Well-being performance

✔ Reach Free Of Svhc

✔ Rohs Exemption Information Yes

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant
[EU RoHS Declaration](#)

China Rohs Regulation [China RoHS declaration](#)
Pro-active China RoHS declaration (out of China RoHS legal scope)