



Mini circuit breaker, QO, 40A, 2 pole, 120/240VAC, 10kA, plug in

QO240

Product availability: Stock - Normally stocked in distribution

Price*: 67.00 USD

Main

Product	Miniature circuit-breaker	
Range	QO	
Current Rating	40 A	
Voltage Rating	120/240 V AC 120 V AC	
Mounting Type	Plug-in	
Number of Poles	2P	
Circuit Breaker Type	Standard	
Ratings	HACR rated	
Electrical Connection	Box lugs	

Complementary

Interrupt Rating	10 kA 120/240 V AC 10 kA 120 V AC	
Number of Panel Spaces	2	
Wire Size	AWG 8AWG 2 copper or aluminium	
Tightening Torque	44.3 lbf.in (5 N.m)	
Height	3.1 in (79 mm)	
Width	1.5 in (38 mm)	
Depth	2.9 in (74 mm)	
Product Weight	0.500 lb(US) (0.227 kg)	

Environment

Certifications	UL Listed CSA
Ambient Rating	104 °F (40 °C)

Ordering and shipping details

Category	US1DE2A00004		
Discount Schedule	DE2A		
GTIN	785901400486		
Returnability	Yes		
Country of origin	US		

Price is "List Price" and may be subject to a trade discount - check with your local distributor or retailer for actual price.

Packing Units

_		
Unit Type of Package 1	PCE	
Number of Units in Package 1	1	
Package 1 Height	3.30 in (8.38 cm)	
Package 1 Width	1.60 in (4.06 cm)	
Package 1 Length	3.20 in (8.13 cm)	
Package 1 Weight	9.12 oz (258.55 g)	
Unit Type of Package 2	BB1	
Number of Units in Package 2	5	
Package 2 Height	3.30 in (8.382 cm)	
Package 2 Width	2.70 in (6.858 cm)	
Package 2 Length	7.70 in (19.558 cm)	
Package 2 Weight	2.941 lb(US) (1.334 kg)	
Unit Type of Package 3	CAR	
Number of Units in Package 3	50	
Package 3 Height	8.20 in (20.828 cm)	
Package 3 Width	8.00 in (20.32 cm)	
Package 3 Length	17.20 in (43.688 cm)	
Package 3 Weight	30.05 lb(US) (13.63 kg)	

Contractual warranty

Warranty 18 months



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

☑ Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	19
Environmental Disclosure	Product Environmental Profile

Use Better

── Materials and Substances		
Packaging made with recycled cardboard	No	
Packaging without single use plastic	Yes	
SCIP Number	Af42fb01-813d-40c0-ae28-b8b3299dbc99	
China RoHS Regulation	China RoHS declaration	
California proposition 65	WARNING: This product can expose you to chemicals including: Nickel compounds, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov	

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Halogen content performance	Halogen free product
Take-back	No