

Product data sheet

Specifications

SQUARE D



Mini circuit breaker, QO, 35A, 3 pole, 120/240VAC, 10kA, bolt on

QOB335

Main

| | |
|-----------------------|--------------------------------------|
| Product | Miniature circuit-breaker |
| Range | QO |
| Current Rating | 35 A |
| Voltage Rating | 120/240 V AC 240 V AC 120 V AC |
| Mounting Type | Bolt-on |
| Number of Poles | 3P |
| Circuit Breaker Type | Standard |
| Ratings | HACR rated |
| Electrical Connection | Pressure plate |

Complementary

| | |
|------------------------|---|
| Interrupt Rating | 10 kA 120/240 V AC 10 kA 240 V AC 10 kA 120 V AC |
| Number of Panel Spaces | 3 |
| Wire Size | AWG 14...AWG 8 copper or aluminum |
| Tightening Torque | 44.3 lbf.in (5 N.m) 0.02...0.04 in ² (10...25 mm ²) AWG 8...AWG 2) |
| Height | 3.1 in (79 mm) |
| Width | 2.2 in (57 mm) |
| Depth | 2.9 in (74 mm) |
| Product weight | 0.820 lb(US) (0.372 kg) |

Environment

| | |
|----------------|------------------|
| Certifications | UL listed CSA |
| Ambient Rating | 104 °F (40 °C) |

Packing Units

| | |
|------------------------------|--------------------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 3.00 in (7.620 cm) |
| Package 1 Width | 3.00 in (7.620 cm) |

| | |
|-------------------------------------|---------------------------|
| Package 1 Length | 3.10 in (7.874 cm) |
| Package 1 Weight | 13.280 oz (376.481 g) |
| Unit Type of Package 2 | BB1 |
| Number of Units in Package 2 | 3 |
| Package 2 Height | 3.60 in (9.144 cm) |
| Package 2 Width | 3.60 in (9.144 cm) |
| Package 2 Length | 6.80 in (17.272 cm) |
| Package 2 Weight | 2.630 lb(US) (1.193 kg) |
| Unit Type of Package 3 | CAR |
| Number of Units in Package 3 | 36 |
| Package 3 Height | 3.70 in (9.398 cm) |
| Package 3 Width | 14.20 in (36.068 cm) |
| Package 3 Length | 21.40 in (54.356 cm) |
| Package 3 Weight | 32.119 lb(US) (14.569 kg) |

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint

Carbon footprint (kg CO2 eq, Total Life cycle) 20

Environmental Disclosure [Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard No

Packaging without single use plastic Yes

SCIP Number Af42fb01-813d-40c0-ae28-b8b3299dbc99

China RoHS Regulation [China RoHS declaration](#)

Use Again

Repack and remanufacture

Circularity Profile No need of specific recycling operations

Halogen content performance Halogen free product

Take-back No