



# Mini circuit breaker, QO, 70A, 3 pole, 120/240VAC, 22kA, bolt on

QOB370VH

Product availability: Stock - Normally stocked in distribution facility

Price\*: 604.80 USD

## Main

| Product               | Miniature circuit-breaker            |  |
|-----------------------|--------------------------------------|--|
| Range                 | QO                                   |  |
| Current Rating        | 70 A                                 |  |
| Voltage Rating        | 120/240 V AC<br>240 V AC<br>120 V AC |  |
| Mounting Type         | Bolt-on                              |  |
| Number of Poles       | 3P                                   |  |
| Circuit Breaker Type  | Standard                             |  |
| Ratings               | HACR rated                           |  |
| Electrical Connection | Box lugs                             |  |

# Complementary

| Interrupt Rating       | 22 kA 120/240 V AC<br>22 kA 240 V AC<br>22 kA 120 V AC |  |
|------------------------|--|--|
| Number of Panel Spaces | 3  |  |
| Wire Size              | AWG 8AWG 2 copper or aluminium                         |  |
| Tightening Torque      | 49.6 lbf.in (5.6 N.m)                                  |  |
| Height                 | 3.1 in (79 mm)   |  |
| Width                  | 2.2 in (57 mm)   |  |
| Depth                  | 2.9 in (74 mm)   |  |
| Net Weight             | 1.060 lb(US) (0.481 kg)                                |  |

## **Environment**

| Certifications | UL Listed<br>CSA |
|----------------|------------------|
| Ambient Rating | 104 °F (40 °C)   |

# Ordering and shipping details

| Category          | US10DE200015 |
|-------------------|--------------|
| Discount Schedule | 0DE2         |
| GTIN              | 785901054849 |
| Returnability     | Yes          |

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Country of origin MX

# **Packing Units**

| Unit Type of Package 1       | PCE                   |
|------------------------------|-----------------------|
| Number of Units in Package 1 | 1                     |
| Package 1 Height             | 2.40 in (6.096 cm)    |
| Package 1 Width              | 3.40 in (8.636 cm)    |
| Package 1 Length             | 3.90 in (9.906 cm)    |
| Package 1 Weight             | 16.960 oz (480.808 g) |

# **Contractual warranty**

Warranty 18 months

# **Environmental Data**

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

| Environmental Disclosure | Product Environmental Profile |
|--------------------------|-------------------------------|

# **Use Better**


| Packaging made with recycled cardboard | No  |  |
|--|---|--|
| Packaging without single use plastic   | Yes   |  |
| EU RoHS Directive                      | Compliant   |  |
| SCIP Number                            | Af42fb01-813d-40c0-ae28-<br>b8b3299dbc99  |  |
| REACh Regulation                       | REACh Declaration   |  |
| China RoHS Regulation                  | China RoHS declaration  |  |
| California proposition 65              | WARNING: This product can expose you to chemicals including: Cadmium and cadmium compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov |  |

# **Use Again**

# Circularity Profile No need of specific recycling operations Halogen content performance Halogen free product Take-back No

# **Technical Illustration**

# **Dimensions**



Dimensions are approximate. Refer to technical documentation for additional det