

Product datasheet

Specifications



Volume Controller, Unica Pure, 3W
max audio input, 8 Ohm, 0.5W
speaker, white

UNSVOLCTRL2M_WE

Main

Range	Unica Pure
Product or component type	Volume controller
device presentation	Mechanism
Number of modules	2 modules
Colour tint	White (RAL 9003)
[Ue] rated operational voltage	220...250 V
network type	AC
network frequency	50/60 Hz
Main colour tint	White

Complementary

Device mounting	Flush
Fixing mode	Snap-in
dimmer control	Rotary
Load type	Resistive load, 0.5 W
Material	PC: front cover PA6: base cover
Ambient air temperature for operation	-5...35 °C
Depth	54.2 mm
Width	45 mm
Height	45 mm
Net weight	0.0475 kg

Environment

Environmental characteristic	Indoor use
------------------------------	------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.42 cm
Package 1 Width	4.5 cm
Package 1 Length	2.25 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Weight	49.5 g
------------------	--------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

Eu Rohs Directive

Under investigation
