

Product datasheet

Specifications



Flush mounting kit Ø30 for selector switches and illuminated push buttons Ø22, plastic, 1-line legend

ZB5AZ024

Main

Range of product	Harmony XB5
Product or component type	Flush mounting kit
Accessory / separate part category	Mounting and fixing accessory
Product compatibility	ZB5AW ZB5AD ZB5AJ ZB5AH..3 ZB5RZA0 ZB5AD.9 ZB5AD.8 ZB5AK ZB5RTA ZB5AA.6
Accessory / separate part destination	Selector switch with high bezel Illuminated push-button with high bezel

Complementary


Colour	Black
IP degree of protection	IP66 (front face) conforming to IEC 60529 IP69 (front face) conforming to IEC 60529 IP69K (front face) conforming to DIN 40050-9
IK degree of protection	IK03 conforming to IEC 50102
Mounting diameter	30.5 mm
Quantity per set	Set of 1

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.3 cm
Package 1 Width	5.2 cm
Package 1 Length	5.5 cm
Package 1 Weight	17.0 g
Unit Type of Package 2	S02
Number of Units in Package 2	80
Package 2 Height	15.0 cm

Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	1.748 kg

Dimensions with Flush Mounting Kit




e : Clamping thickness : 1 to 3.5 mm / 0.04 to 0.14 in.


(1) Additional row of contacts or double contact

Panel Cut-Out and Mounting

Panel Cut Dimensions



Dimensions



Recommended replacement(s)