

# Plastic flush mounting kit for legend 18x27 selector switch and ill.pushbutton

ZB5AZ026

١	/I	a	ı	r	1

Range of product	Harmony XB5
Product or component type	Flush mounting kit
Accessory / separate part category	Mounting and fixing accessory
Product compatibility	ZB5RZA0 ZB5AK ZB5AD.9 ZB5AA.6 ZB5AW ZB5RTA ZB5AJ ZB5AH3 ZB5AD ZB5AD.8
Accessory / separate part destination	Selector switch with high bezel Illuminated push-button with high bezel

#### Complementary

Colour	Black
IP degree of protection	IP66 (front face) conforming to IEC 60529 IP69 (front face) conforming to IEC 60529 IP69K (front face) conforming to DIN 40050-9
IK degree of protection	IK03 conforming to IEC 50102
Mounting diameter	30.5 mm
Quantity per set	Set of 1

### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.500 cm
Package 1 Width	4.300 cm
Package 1 Length	5.200 cm
Package 1 Weight	17.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	80
Package 2 Height	15.000 cm

Package 2 Width	30.000 cm	
Package 2 Length	40.000 cm	
Package 2 Weight	1.750 kg	

## Offer Sustainability


REACh Regulation	REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS declaration
RoHS exemption information	Yes
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

## **Product datasheet**

## **ZB5AZ026**

**Dimensions Drawings** 

### **Dimensions with Flush Mounting Kit**




- $\boldsymbol{e}$  : Clamping thickness : 1 to 3.5 mm / 0.04 to 0.14 in.
- (1) Additional row of contatcs or double contact

## **Product datasheet**

## **ZB5AZ026**


Mounting and Clearance


### **Panel Cut-Out and Mounting**



**Technical Illustration** 

#### **Dimensions**





Recommended replacement(s)